


# A Combined Purse and Belt Buckle.

**Patent number:** GB190930597  
**Publication date:** 0000-00-00  
**Inventor:** EMANUEL DE BEAUPUIS (AU)  
**Applicant:** EMANUEL DE BEAUPUIS (AU)  
**Classification:**  
 - International: A45C1/04; A45C1/00;  
 - european: A45C1/04  
**Application number:** GBD190930597 19091231  
**Priority number(s):** AUX190930597 19090311

Report a data error here

## Abstract of GB190930597

30,597. Beaupuis, E. de. March 11, [Convention date]. Void. [Published under Section 91 of the Act.] Attaching purses to wearing-apparel.-A belt fastening is provided with an integral or detachable purse. A fastening-plate 11, Fig. 3, is provided with a hook 15 and keeper 13 for attachment to a belt 14 and is hinged to a plate 18, a valvular purse 20 being secured to the plates 11, 18. In a modification, the fastening-plate 11, Fig. 9, is provided with bent-over parts 26 for the reception of a corresponding keeper 27 on the purse. The plate and the purse are preferably curved.



Data supplied from the esp@cenet database - Worldwide

BEST AVAILABLE COPY

NOTE.—The application for a Patent has become void, and the Specification is published in accordance with the provisions of the Patents and Designs Act, 1907. This print shows the Specification as it became open to public inspection.

N<sup>o</sup> 30,597



A.D. 1909

(Under International Convention.)

Date claimed under Patents and Designs Act, 1907, }  
being date of first Foreign Application (in } 11th Mar., 1909  
Australia), }

Date of Application (in the United Kingdom), 31st Dec., 1909

At the expiration of twelve months from the date of the first Foreign Application, the provision of Section 91 (3) (a) of the Patents and Designs Act, 1907, as to inspection of Specification, became operative

Complete Specification not accepted

#### COMPLETE SPECIFICATION.

##### A Combined Purse and Belt Buckle.

I, ÉMANUEL DE BEAUPUIS, of 338, George Street, Sydney, in the State of New South Wales and Commonwealth of Australia, Musician, do hereby declare the nature of this invention and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement:—

6 This invention has for its objective to provide in combination with a belt buckle, an integral or detachable receptacle, purse or reticule.

This buckle or fastener consists essentially of an ordinary plate buckle having a keeper and a hook for securing thereto the ends of a belt; and integral therewith or removably secured thereto is a receptacle or a valvular purse or reticule.

10 This said buckle plate and attachment is preferably slightly concaved to fit the contour of the waist of the wearer.

Referring to the accompanying drawings which illustrate the invention applied in several forms.

15 Figures 1 and 2 are perspective views of the front and back respectively of a buckle plate with a valvular purse hinged to the back thereof and Figure 3 similar back view with the purse in the open position.

20 Figures 4, 5 and 6 are similar views to Figures 1, 2 and 3 respectively, and illustrate a spring hinge purse, whilst Figures 7 and 8 are perspective views respectively of the front and back of a buckle with a detachable purse secured thereto, Figure 9 a perspective view of the buckle plate with purse detached and Figure 10 a similar view of the purse.

25 Referring to Figures 1 to 3 inclusive the rectangular concaved buckle plate 11 has a flange 12 having a keeper 13 at one end around which takes the belt 14 and a hook extension 15 taking in the keeper 16 attached to the other end of said belt 14. Hinged to the buckle plate 11 is a rectangular plate or flap 18. To the inner faces of the flap 18 and buckle plate 11 is secured an ordinary valvular purse 20 by means of an adhesive medium and the E shaped plates 21. The purse is held in a normally closed position by a catch 23 on

[Price 8d.]

BEST AVAILABLE COPY



*A Combined Purse and Belt Buckle.*

the inner face of the hinged flap 18 said catch engaging with a spring lock 24 affixed to the buckle plate 11 as shown.

Referring to Figures 4 to 6 inclusive the buckle plate 11 has the keeper 13 and hook 15 secured to the back thereof as hereinbefore described, and spring hinged plate or flap 18 having a flanged face 22. The buckle plate 11 has a spring catch 24 which takes under the edge of the flanged face 22, said flap 18 having also a thumb piece 25. The purse 20 is affixed to the buckle plate 11 and hinged flap 18 in the ordinary manner. 5

Referring to Figures 7 to 10 the buckle plate 11 has turned over edges 26 forming grooves for the reception of the keeper 27 that is attached to the back of a concaved metallic casing 28 containing a valvular purse of ordinary construction. 10

Having now particularly described and ascertained the nature of my said invention and in what manner the same is to be performed, I declare that what I claim is:— 15

1. A combined purse and belt buckle consisting of a buckle plate having a keeper and a hook for securing thereto the ends of a belt and integral with said buckle plate or removably secured thereto is a valvular purse or reticule as herein described and ascertained.

2. A combined purse and belt buckle having a buckle plate with keeper and hook and a hinged flap, between said buckle plate and hinged flap is secured a valvular purse by adhesive material and plates as herein described and ascertained. 20

3. A combined purse and belt buckle consisting of the combination and arrangement of the parts or integers as herein described and illustrated with reference to Figures 1 to 3 of the accompanying drawings. 25

4. A combined purse and belt buckle having a buckle plate with keeper and hook and a spring hinged flap with a thumb piece, between said buckle plate and spring hinged flap is secured a valvular purse in the ordinary manner as herein described and explained. 30

5. A combined purse and belt buckle consisting of the combination and arrangement of the parts or integers as herein described and illustrated with reference to Figures 4 to 6 of the accompanying drawings.

6. A combined purse and belt buckle having a buckle plate with keeper and hook, turned over edges for the reception of a keeper affixed to a detachable purse as herein described and explained. 35

7. A combined purse and belt buckle consisting of the combination and arrangement of the parts or integers as herein described and illustrated with reference to Figures 7 to 10 of the accompanying drawings.

Dated this 28th day of December, 1909. 40

WM. P. THOMPSON & Co.,  
6, Lord Street, Liverpool,  
77, Market Street, Bradford, and  
285, High Holborn, London,  
Agents for the Applicant. 45


A.D. 1909. DECA 31. N<sup>o</sup> 50,597.  
DE BEAUPUIS' COMPLETE SPECIFICATION.

SHEET 1.

(8 SHEETS)

SHEET 2.

[This Drawing is a reproduction of the Original on a reduced scale]



BIRMINGHAM  
FREE  
LIBRARY

Y&P&Sons, Photo-Litho.

[This Drawing is a reproduction of the Original on a reduced scale.]




Fig. 1.




Fig. 2.

Fig. 3.




Fig. 4.




Fig. 5.

Fig. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.



BEST AVAILABLE COPY